

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



**U. S. DEPARTMENT OF AGRICULTURE**  
**Agricultural Marketing Service - Cotton Program**  
**Memphis, Tennessee**

# ***UNITED STATES***

## ***Cotton Quality Report***



***Classings Through March 2, 2006***



Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through March 2, 2006

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	1	8	241	4,783	29,500	120,256	348,279	615,611	1,118,679
	3	-	13	200	4,290	34,441	146,120	469,978	926,764	1,581,806
	4	-	1	18	701	6,654	24,005	49,971	100,196	181,546
	5	-	-	-	52	781	2,843	3,174	2,974	9,824
	6	-	-	-	-	34	179	139	70	422
	7	-	-	-	-	-	8	1	3	12
	<b>TOTAL----</b>	<b>1</b>	<b>22</b>	<b>459</b>	<b>9,826</b>	<b>71,410</b>	<b>293,411</b>	<b>871,542</b>	<b>1,645,618</b>	<b>2,892,289</b>
31	1-2	-	-	19	417	3,798	23,396	70,375	110,779	208,784
	3	-	2	62	1,377	15,619	118,786	579,825	1,442,075	2,157,746
	4	-	3	37	662	7,419	46,572	207,686	674,812	937,191
	5	-	-	9	175	2,432	11,489	21,550	35,213	70,868
	6	-	-	2	18	625	3,089	4,651	2,706	11,091
	7	-	-	-	2	63	298	720	210	1,293
	<b>TOTAL----</b>	<b>-</b>	<b>5</b>	<b>129</b>	<b>2,651</b>	<b>29,956</b>	<b>203,630</b>	<b>884,807</b>	<b>2,265,795</b>	<b>3,386,973</b>
41	1-2	-	1	1	31	214	1,788	6,268	9,352	17,655
	3	-	-	25	177	2,336	25,835	194,287	557,713	780,373
	4	-	1	12	203	2,143	17,236	136,853	588,500	744,948
	5	-	-	3	43	803	3,771	14,169	44,773	63,562
	6	-	-	3	43	365	1,469	3,676	5,813	11,369
	7	-	-	-	3	104	465	1,268	719	2,559
	<b>TOTAL----</b>	<b>-</b>	<b>2</b>	<b>44</b>	<b>500</b>	<b>5,965</b>	<b>50,564</b>	<b>356,521</b>	<b>1,206,870</b>	<b>1,620,466</b>
51	1-2	-	-	-	-	19	132	307	572	1,030
	3	-	-	1	13	193	2,747	16,958	48,831	68,743
	4	-	-	-	3	79	1,669	17,940	75,704	95,395
	5	-	-	-	-	24	351	2,218	7,852	10,445
	6	-	-	-	-	10	106	524	1,827	2,467
	7	-	-	-	-	5	36	163	535	739
	<b>TOTAL----</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>16</b>	<b>330</b>	<b>5,041</b>	<b>38,110</b>	<b>135,321</b>	<b>178,819</b>
61	1-2	-	-	-	3	1	4	10	14	32
	3	-	-	-	-	5	25	99	317	446
	4	-	-	-	-	3	23	120	395	541
	5	-	-	-	-	-	2	31	109	142
	6	-	-	-	-	-	4	7	15	26
	7	-	-	-	-	-	-	-	2	2
	<b>TOTAL----</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>3</b>	<b>9</b>	<b>58</b>	<b>267</b>	<b>852</b>	<b>1,189</b>
71	1-2	-	-	-	-	-	1	1	5	7
	3	-	-	-	-	1	1	8	11	21
	4	-	-	-	-	-	3	8	45	56
	5	-	-	-	-	-	-	1	1	2
	6	-	-	-	-	-	-	1	-	1
	7	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>5</b>	<b>19</b>	<b>62</b>	<b>87</b>
12 & 22	1-2	-	1	48	405	2,357	8,552	16,131	16,839	44,333
	3	-	-	19	534	3,464	15,555	36,100	50,674	106,346
	4	-	-	4	129	836	2,808	6,894	12,146	22,817
	5	-	-	1	8	95	390	612	515	1,621
	6	-	-	-	-	5	40	29	16	90
	7	-	-	-	-	-	5	3	-	8
	<b>TOTAL----</b>	<b>-</b>	<b>1</b>	<b>72</b>	<b>1,076</b>	<b>6,757</b>	<b>27,350</b>	<b>59,769</b>	<b>80,190</b>	<b>175,215</b>
32	1-2	-	-	2	57	483	2,234	3,810	3,508	10,094
	3	-	-	22	407	2,749	17,175	57,612	92,900	170,865
	4	-	-	15	292	2,092	10,371	34,702	79,506	126,978
	5	-	-	-	48	499	2,333	4,605	6,154	13,639
	6	-	-	-	9	58	547	917	561	2,092
	7	-	-	-	-	5	129	113	67	314
	<b>TOTAL----</b>	<b>-</b>	<b>-</b>	<b>39</b>	<b>813</b>	<b>5,886</b>	<b>32,789</b>	<b>101,759</b>	<b>182,696</b>	<b>323,982</b>
42	1-2	-	-	-	1	33	209	549	517	1,309
	3	-	-	16	107	786	5,399	24,947	57,722	88,977
	4	-	-	5	104	829	6,274	32,969	114,759	154,940
	5	-	-	2	33	302	1,541	5,782	15,501	23,161
	6	-	-	-	20	125	464	1,279	1,961	3,849
	7	-	-	-	8	38	122	246	304	718
	<b>TOTAL----</b>	<b>-</b>	<b>-</b>	<b>23</b>	<b>273</b>	<b>2,113</b>	<b>14,009</b>	<b>65,772</b>	<b>190,764</b>	<b>272,954</b>
52	1-2	-	-	-	2	4	38	71	86	201
	3	-	-	3	23	127	1,280	8,894	22,914	33,241
	4	-	-	9	24	110	1,176	13,395	50,896	65,610
	5	-	-	1	2	18	197	1,933	7,714	9,865
	6	-	-	-	-	6	40	277	927	1,250
	7	-	-	-	-	-	12	62	167	241
	<b>TOTAL----</b>	<b>-</b>	<b>-</b>	<b>13</b>	<b>51</b>	<b>265</b>	<b>2,743</b>	<b>24,632</b>	<b>82,704</b>	<b>110,408</b>

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through March 2, 2006

QUALITY	LEAF	STAPLE							
		26 & -	28	29	30	31	32	33	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	-	-	4	1	6
	3	-	-	-	1	9	52	352	1,593
	4	-	-	-	-	6	52	651	2,874
	5	-	-	-	-	2	6	64	461
	6	-	-	-	-	-	3	12	49
	7	-	-	-	-	-	-	4	8
<b>TOTAL----</b>		-	-	-	<b>1</b>	<b>17</b>	<b>117</b>	<b>1,084</b>	<b>4,572</b>
13 & 23	1-2	-	-	2	132	604	1,742	2,796	7,859
	3	-	-	5	108	560	2,194	5,282	16,298
	4	-	-	1	27	252	557	982	1,519
	5	-	-	-	4	22	68	117	67
	6	-	-	-	-	-	6	2	2
	7	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	<b>8</b>	<b>271</b>	<b>1,438</b>	<b>4,567</b>	<b>9,179</b>	<b>12,320</b>
33	1-2	-	-	1	17	95	276	517	1,453
	3	-	-	4	62	259	1,267	3,165	5,523
	4	-	-	1	34	331	1,054	2,025	3,386
	5	-	-	3	12	120	376	706	559
	6	-	-	-	2	18	93	245	75
	7	-	-	-	-	2	33	30	15
<b>TOTAL----</b>		-	-	<b>9</b>	<b>127</b>	<b>825</b>	<b>3,099</b>	<b>6,688</b>	<b>10,105</b>
43	1-2	-	-	-	-	5	18	53	58
	3	-	-	-	7	54	413	1,798	3,689
	4	-	-	2	7	70	472	2,018	5,475
	5	-	-	-	3	63	154	465	797
	6	-	-	-	1	17	81	231	150
	7	-	-	-	-	3	31	90	58
<b>TOTAL----</b>		-	-	<b>2</b>	<b>18</b>	<b>212</b>	<b>1,169</b>	<b>4,655</b>	<b>10,227</b>
53	1-2	-	-	-	-	2	4	6	4
	3	-	-	-	3	10	107	665	1,304
	4	-	-	-	2	14	110	1,197	3,823
	5	-	-	-	-	11	38	192	537
	6	-	-	-	-	3	4	28	81
	7	-	-	-	-	-	-	7	14
<b>TOTAL----</b>		-	-	-	<b>5</b>	<b>40</b>	<b>263</b>	<b>2,095</b>	<b>5,763</b>
63	1-2	-	-	-	-	1	3	13	1
	3	-	-	-	-	1	7	40	159
	4	-	-	-	5	11	25	82	438
	5	-	-	-	1	-	18	37	81
	6	-	-	-	-	1	1	2	3
	7	-	-	-	-	-	-	1	1
<b>TOTAL----</b>		-	-	-	<b>6</b>	<b>14</b>	<b>54</b>	<b>175</b>	<b>683</b>
24-54	1-7	-	1	5	19	422	1,406	2,405	3,148
25-35	1-7	-	-	-	1	31	74	116	42
81-85 1/	1-7	-	-	-	2	19	61	98	139
All Colors	8 2/	-	-	-	1	19	169	570	256
<b>TOTAL, ALL----</b>		<b>1</b>	<b>31</b>	<b>804</b>	<b>15,660</b>	<b>125,729</b>	<b>640,579</b>	<b>2,430,263</b>	<b>5,838,127</b>



Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through  
March 2, 2006

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 &+	35 to 40+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	731,808	550,662	290,557	95,873	44,719	13,863	1,727,482	2,846,161
	3	1,126,614	856,624	483,386	95,752	44,733	23,938	2,631,047	4,212,853
	4	127,854	100,168	57,277	7,910	1,203	1,603	296,015	477,561
	5	3,267	2,318	1,225	206	33	22	7,071	16,895
	6	73	53	22	5	-	-	153	575
	7	3	2	1	-	-	-	6	18
<b>TOTAL----</b>		<b>1,989,619</b>	<b>1,509,827</b>	<b>832,468</b>	<b>199,746</b>	<b>90,688</b>	<b>39,426</b>	<b>4,661,774</b>	<b>7,554,063</b>
31	1-2	98,662	54,574	23,005	8,995	6,223	5,254	196,713	405,497
	3	1,511,763	674,548	218,938	40,663	25,569	14,067	2,485,548	4,643,294
	4	1,010,692	577,175	184,297	19,500	4,137	2,994	1,798,795	2,735,986
	5	50,698	37,204	18,155	2,679	400	136	109,272	180,140
	6	2,536	1,859	974	121	8	-	5,498	16,589
	7	100	87	46	6	-	-	239	1,532
<b>TOTAL----</b>		<b>2,674,451</b>	<b>1,345,447</b>	<b>445,415</b>	<b>71,964</b>	<b>36,337</b>	<b>22,451</b>	<b>4,596,065</b>	<b>7,983,038</b>
41	1-2	6,492	2,503	913	124	24	22	10,078	27,733
	3	554,537	200,871	43,113	3,782	440	130	802,873	1,583,246
	4	987,697	529,666	120,625	7,410	620	177	1,646,195	2,391,143
	5	99,020	70,292	22,865	1,873	186	47	194,283	257,845
	6	9,339	6,541	2,807	297	18	2	19,004	30,373
	7	866	615	361	19	1	-	1,862	4,421
<b>TOTAL----</b>		<b>1,657,951</b>	<b>810,488</b>	<b>190,684</b>	<b>13,505</b>	<b>1,289</b>	<b>378</b>	<b>2,674,295</b>	<b>4,294,761</b>
51	1-2	428	104	25	3	1	-	561	1,591
	3	55,604	26,007	7,520	593	18	1	89,743	158,486
	4	126,884	79,197	23,641	1,729	3	43	231,497	326,892
	5	15,111	12,565	4,710	437	41	1	32,865	43,310
	6	2,857	2,286	534	24	2	-	5,703	8,170
	7	783	671	157	1	-	-	1,612	2,351
<b>TOTAL----</b>		<b>201,667</b>	<b>120,830</b>	<b>36,587</b>	<b>2,787</b>	<b>120</b>	<b>4</b>	<b>361,995</b>	<b>540,814</b>
61	1-2	5	4	1	-	1	-	11	43
	3	437	292	70	4	-	-	803	1,249
	4	921	775	237	22	-	-	1,955	2,496
	5	181	139	48	2	-	-	370	512
	6	41	29	15	-	-	-	85	111
	7	2	5	-	-	-	-	7	9
<b>TOTAL----</b>		<b>1,587</b>	<b>1,244</b>	<b>371</b>	<b>28</b>	<b>1</b>	<b>-</b>	<b>3,231</b>	<b>4,420</b>
71	1-2	3	-	-	-	-	-	3	10
	3	14	7	3	-	-	-	24	45
	4	49	10	1	-	-	-	60	116
	5	4	-	-	-	-	-	4	6
	6	-	-	-	-	-	-	-	1
	7	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		<b>70</b>	<b>17</b>	<b>4</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>91</b>	<b>178</b>
12 & 22	1-2	12,395	6,076	2,083	561	141	199	21,455	65,788
	3	43,283	21,825	7,804	893	567	1,259	75,631	181,977
	4	11,991	6,015	2,469	297	74	313	21,159	43,976
	5	628	345	147	49	5	7	1,181	2,802
	6	21	23	3	-	-	-	47	137
	7	-	1	-	-	-	-	1	9
<b>TOTAL----</b>		<b>68,318</b>	<b>34,285</b>	<b>12,506</b>	<b>1,800</b>	<b>787</b>	<b>1,778</b>	<b>119,474</b>	<b>294,689</b>
32	1-2	2,039	920	379	185	121	187	3,831	13,925
	3	69,566	24,251	6,193	1,271	978	920	103,179	274,044
	4	90,269	38,843	9,032	816	363	667	139,990	266,968
	5	7,080	4,444	1,689	239	89	76	13,617	27,256
	6	511	425	174	24	3	2	1,139	3,231
	7	48	49	19	2	-	-	118	432
<b>TOTAL----</b>		<b>169,513</b>	<b>68,932</b>	<b>17,486</b>	<b>2,537</b>	<b>1,554</b>	<b>1,852</b>	<b>261,874</b>	<b>585,856</b>
42	1-2	385	151	80	24	20	2	662	1,971
	3	59,541	22,018	4,460	456	124	34	86,633	175,610
	4	173,759	87,840	17,251	772	111	40	279,773	434,713
	5	28,013	19,638	4,945	215	57	4	52,872	76,033
	6	2,308	1,580	549	68	5	-	4,510	8,359
	7	335	195	103	2	-	-	635	1,353
<b>TOTAL----</b>		<b>264,341</b>	<b>131,422</b>	<b>27,388</b>	<b>1,537</b>	<b>317</b>	<b>80</b>	<b>425,085</b>	<b>698,039</b>
52	1-2	65	23	8	1	-	-	97	298
	3	25,126	10,012	1,696	104	6	2	36,946	70,187
	4	74,721	38,961	8,175	309	14	1	122,181	187,791
	5	13,640	8,701	2,235	72	4	1	24,653	34,518
	6	1,478	1,015	259	12	1	-	2,765	4,015
	7	260	147	48	2	-	1	458	699
<b>TOTAL----</b>		<b>115,290</b>	<b>58,859</b>	<b>12,421</b>	<b>500</b>	<b>25</b>	<b>5</b>	<b>187,100</b>	<b>297,508</b>

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through March 2, 2006

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	35 to 40+
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	2	1	1	-	-	-	4
	3	1,517	570	49	2	-	-	2,138
	4	3,786	1,609	290	4	2	-	5,691
	5	623	294	71	2	1	-	991
	6	72	46	9	2	-	-	129
	7	1	1	1	-	-	-	3
<b>TOTAL----</b>		<b>6,001</b>	<b>2,521</b>	<b>421</b>	<b>10</b>	<b>3</b>	<b>-</b>	<b>8,956</b>
13 & 23	1-2	2,050	654	137	14	7	13	2,875
	3	6,652	3,132	805	56	40	33	10,718
	4	1,292	550	202	30	2	11	2,087
	5	71	38	6	1	-	-	116
	6	1	3	-	-	-	-	4
	7	-	-	-	-	-	-	-
<b>TOTAL----</b>		<b>10,066</b>	<b>4,377</b>	<b>1,150</b>	<b>101</b>	<b>49</b>	<b>57</b>	<b>15,800</b>
33	1-2	491	205	65	17	8	3	789
	3	5,384	3,126	1,360	268	126	143	10,407
	4	3,880	2,374	1,144	151	60	173	7,782
	5	583	451	257	37	9	38	1,375
	6	62	65	26	2	-	-	155
	7	10	3	1	1	-	-	15
<b>TOTAL----</b>		<b>10,410</b>	<b>6,224</b>	<b>2,853</b>	<b>476</b>	<b>203</b>	<b>357</b>	<b>20,523</b>
43	1-2	53	23	26	2	1	-	105
	3	3,817	1,730	538	68	33	15	6,201
	4	7,115	3,832	1,058	82	47	31	12,165
	5	860	599	226	52	20	13	1,770
	6	145	103	75	16	1	-	340
	7	41	26	18	4	-	-	89
<b>TOTAL----</b>		<b>12,031</b>	<b>6,313</b>	<b>1,941</b>	<b>224</b>	<b>102</b>	<b>59</b>	<b>20,670</b>
53	1-2	5	-	2	1	-	-	8
	3	1,333	443	98	5	1	2	1,882
	4	5,399	2,298	298	7	4	3	8,009
	5	861	368	56	2	-	2	1,289
	6	106	49	23	1	-	-	179
	7	24	34	12	1	1	-	72
<b>TOTAL----</b>		<b>7,728</b>	<b>3,192</b>	<b>489</b>	<b>17</b>	<b>6</b>	<b>7</b>	<b>11,439</b>
63	1-2	2	-	-	-	-	-	2
	3	283	47	2	1	-	-	333
	4	746	196	14	-	1	-	957
	5	124	34	-	-	-	-	158
	6	14	3	-	-	-	-	17
	7	1	1	-	-	-	-	2
<b>TOTAL----</b>		<b>1,170</b>	<b>281</b>	<b>16</b>	<b>1</b>	<b>1</b>	<b>-</b>	<b>1,469</b>
24-54	1-7	3,154	1,586	620	72	43	11	5,486
25-35	1-7	11	15	2	-	-	-	28
81-85 1/	1-7	168	131	57	11	1	2	370
All Colors	8 2/	239	131	53	1	-	-	424
<b>TOTAL, ALL----</b>		<b>7,193,785</b>	<b>4,106,122</b>	<b>1,582,932</b>	<b>295,317</b>	<b>131,526</b>	<b>66,467</b>	<b>13,376,149</b>
<b>EXTRANEEOUS MATTER</b>								
Bark - Level 1		836,916						
Bark - Level 2		847						
Grass - Level 1		64,340						
Grass - Level 2		1,135						
Prep - Level 1		17,715						
Prep - Level 2		74						
Other - Level 1		18,857						
Other - Level 2		319						

Average Staple ----- **34.8**  
Percent Tenderable ----- **71.3**

**22,427,343** bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.



Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	*	0.1	0.5	1.6	2.7	3.3	2.5	1.3	0.4	0.2	0.1	12.7
	3	-	*	*	*	0.2	0.7	2.1	4.1	5.0	3.8	2.2	0.4	0.2	0.1	18.8
	4	-	-	*	*	*	0.1	0.2	0.4	0.6	0.4	0.3	*	*	*	2.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
<b>TOTAL----</b>		*	*	*	*	0.3	1.3	3.9	7.3	8.9	6.7	3.7	0.9	0.4	0.2	33.7
31	1-2	-	-	*	*	*	0.1	0.3	0.5	0.4	0.2	0.1	*	*	*	1.8
	3	-	*	*	*	0.1	0.5	2.6	6.4	6.7	3.0	1.0	0.2	0.1	0.1	20.7
	4	-	*	*	*	*	0.2	0.9	3.0	4.5	2.6	0.8	0.1	*	*	12.2
	5	-	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	0.8
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
<b>TOTAL----</b>		-	*	*	*	0.1	0.9	3.9	10.1	11.9	6.0	2.0	0.3	0.2	0.1	35.6
41	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	0.1	0.9	2.5	2.5	0.9	0.2	*	*	*	7.1
	4	-	*	*	*	*	0.1	0.6	2.6	4.4	2.4	0.5	*	*	*	10.7
	5	-	-	*	*	*	*	0.1	0.2	0.4	0.3	0.1	*	*	*	1.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
<b>TOTAL----</b>		-	*	*	*	*	0.2	1.6	5.4	7.4	3.6	0.9	0.1	*	*	19.1
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.7
	4	-	-	-	*	*	*	0.1	0.3	0.6	0.4	0.1	*	*	*	1.5
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
<b>TOTAL----</b>		-	-	*	*	*	*	0.2	0.6	0.9	0.5	0.2	*	*	*	2.4
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	3	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	0.8
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	-	-	*	-	-	-	-	*
<b>TOTAL----</b>		-	*	*	*	*	0.1	0.3	0.4	0.3	0.2	0.1	*	*	*	1.3
32	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	*	1.2
	4	-	-	*	*	*	*	0.2	0.4	0.4	0.2	*	*	*	*	1.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
<b>TOTAL----</b>		-	-	*	*	*	0.1	0.5	0.8	0.8	0.3	0.1	*	*	*	2.6
42	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	0.1	0.3	0.3	0.1	*	*	*	*	0.8
	4	-	-	*	*	*	*	0.1	0.5	0.8	0.4	0.1	*	*	*	1.9
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
<b>TOTAL----</b>		-	-	*	*	*	0.1	0.3	0.9	1.2	0.6	0.1	*	*	*	3.1
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	4	-	-	*	*	*	*	0.1	0.2	0.3	0.2	*	*	*	*	0.8
	5	-	-	*	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
<b>TOTAL----</b>		-	-	*	*	*	0.1	0.4	0.5	0.3	0.1	*	*	*	*	1.3

\* Less than 0.05 percent.



Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY		LEAF	STAPLE													
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
53	1-2	-	-	-	-	*	*	*	*	*	-	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL, ALL-----		*	*	*	0.1	0.6	2.9	10.8	26.0	32.1	18.3	7.1	1.3	0.6	0.3	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		3.7														
Bark - Level 2		*														
Grass - Level 1		0.3														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		0.1														
Other - Level 1		*														
		Average Staple 34.8														
		Percent Tenderable 71.3														

**22,427,343** bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.2	0.8	1.5	0.9	0.4	0.1	*	-	-	4.0
	4	-	-	-	-	*	*	0.2	0.5	0.4	0.2	*	*	-	-	1.4
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.3	1.1	2.1	1.4	0.6	0.1	*	-	-	5.7
31	1-2	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.6
	3	-	-	-	-	*	0.9	5.6	11.0	8.4	3.1	0.6	*	*	-	29.6
	4	-	-	-	-	*	0.5	3.4	9.1	9.7	4.4	1.0	*	*	*	28.3
	5	-	-	-	-	*	*	0.2	0.4	0.5	0.3	0.1	*	-	-	1.5
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	0.1	1.4	9.3	20.9	18.8	7.9	1.7	*	*	*	60.1
41	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.4	2.4	4.4	3.3	1.2	0.2	*	*	-	12.0
	4	-	-	-	-	*	0.2	1.4	4.1	5.1	2.7	0.9	*	*	-	14.4
	5	-	-	-	-	*	*	0.2	0.4	0.6	0.4	0.1	*	*	-	1.9
	6	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	0.6	4.1	9.0	9.2	4.4	1.3	0.1	*	-	28.6
51	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	-	-	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	0.1	0.3	0.4	0.2	0.1	*	*	-	-	1.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	1.0
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	-	-	1.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.1	0.4	0.6	0.6	0.3	*	*	*	-	2.1
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	*	-	1.0
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.2	0.4	0.6	0.3	0.1	*	*	-	1.6
52	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2

\* Less than 0.05 percent.



Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY		LEAF	STAPLE														TOTAL		
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
62	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	3		-	-	-	-	-	-	*	*	*	-	-	-	-	*			
	4		-	-	-	-	-	*	*	*	*	-	-	-	-	*			
	5		-	-	-	-	-	-	*	-	-	-	-	-	-	*			
	6		-	-	-	-	-	-	-	-	*	-	-	-	-	*			
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL----			-	-	-	-	*	*	*	*	*	-	-	-	-	*			
13 & 23	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	3		-	-	-	-	-	*	*	*	*	*	-	-	-	-			
	4		-	-	-	-	-	-	*	*	*	*	-	-	-	*			
	5		-	-	-	-	-	-	*	-	*	-	-	-	-	*			
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL----			-	-	-	-	-	*	*	*	*	*	-	-	-	*			
33	1-2		-	-	-	-	-	-	-	*	*	-	-	-	-	*			
	3		-	-	-	-	*	*	*	*	*	*	-	-	-	*			
	4		-	-	-	-	-	*	*	*	*	*	-	-	-	*			
	5		-	-	-	-	-	*	*	*	*	*	-	-	-	*			
	6		-	-	-	-	-	-	*	*	*	-	-	-	-	*			
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL----			-	-	-	-	*	*	*	*	*	*	-	-	-	0.1			
43	1-2		-	-	-	-	-	*	*	*	*	-	-	-	-	*			
	3		-	-	-	-	*	*	*	*	*	*	-	-	-	0.1			
	4		-	-	-	-	-	*	*	*	*	*	*	-	-	0.1			
	5		-	-	-	-	-	*	*	*	*	*	-	-	-	*			
	6		-	-	-	-	-	-	*	*	*	*	-	-	-	*			
	7		-	-	-	-	-	-	-	*	-	-	-	-	-	*			
TOTAL----			-	-	-	-	*	*	*	*	*	*	*	-	-	0.2			
53	1-2		-	-	-	-	-	-	*	-	*	-	-	-	-	*			
	3		-	-	-	-	*	*	*	*	*	*	-	-	-	*			
	4		-	-	-	-	-	*	*	*	*	-	-	-	-	*			
	5		-	-	-	-	-	-	*	*	*	*	-	-	-	*			
	6		-	-	-	-	-	-	*	-	-	-	-	-	-	*			
	7		-	-	-	-	-	-	*	-	-	-	-	-	-	*			
TOTAL----			-	-	-	-	*	*	*	*	*	*	-	-	-	*			
63	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	3		-	-	*	-	-	*	-	*	*	-	-	-	-	*			
	4		-	-	-	-	-	*	*	-	*	-	-	-	-	*			
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL----			-	-	-	-	-	*	*	*	*	-	-	-	-	*			
24-54	1-7		-	-	-	-	-	*	*	*	*	*	-	-	-	*			
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
81-85 1/	1-7		-	-	-	-	-	*	*	*	*	-	-	-	-	*			
All Colors	8 2/		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL, ALL-----			-	-	-	-	0.1	2.6	15.6	33.6	31.0	13.7	3.3	0.1	*	*	100.0		
EXTRANEEOUS MATTER																	Average Staple	34.5	
																	Percent Tenderable	86.1	
Bark - Level 1			2.0																
Bark - Level 2			*																
Grass - Level 1			0.2																
Grass - Level 2			*																
Prep - Level 1			0.2																
Prep - Level 2			-																
Other - Level 1			*																
Other - Level 1			-																

831,404 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.8	4.5	13.6	17.4	10.8	1.6	0.3	*	49.1
	3	-	-	-	-	*	*	0.3	1.4	4.3	5.9	4.5	0.8	0.2	*	17.5
	4	-	-	-	-	*	*	0.1	0.2	0.4	0.2	0.2	0.1	*	*	1.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	*	*	<b>0.1</b>	<b>1.2</b>	<b>6.1</b>	<b>18.3</b>	<b>23.6</b>	<b>15.5</b>	<b>2.5</b>	<b>0.5</b>	*	<b>67.8</b>
31	1-2	-	-	-	-	*	*	0.5	1.7	3.0	2.5	1.2	0.2	*	*	9.0
	3	-	-	-	-	*	*	0.3	1.6	3.0	2.8	1.5	0.3	0.1	*	9.6
	4	-	-	-	-	*	*	0.3	0.8	0.6	0.4	0.3	0.1	*	*	2.7
	5	-	-	-	-	*	*	0.1	0.2	0.1	0.1	0.1	*	*	*	0.7
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	<b>TOTAL----</b>	-	-	-	-	*	<b>0.2</b>	<b>1.2</b>	<b>4.2</b>	<b>6.8</b>	<b>5.8</b>	<b>3.2</b>	<b>0.6</b>	<b>0.1</b>	*	<b>22.1</b>
41	1-2	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	*	-	1.0
	3	-	-	-	-	*	*	0.2	0.7	1.0	0.5	0.1	*	*	*	2.5
	4	-	-	-	*	*	*	0.2	0.3	0.3	0.1	0.1	*	*	*	1.0
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	<b>TOTAL----</b>	-	-	-	*	*	<b>0.1</b>	<b>0.7</b>	<b>1.5</b>	<b>1.6</b>	<b>0.9</b>	<b>0.3</b>	<b>0.1</b>	*	*	<b>5.1</b>
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	-	-	-	-	*	<b>0.1</b>	<b>0.1</b>	*	*	*	-	-	-	<b>0.2</b>
61	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6
	3	-	-	-	-	*	*	0.1	0.4	0.4	0.2	*	*	*	-	1.1
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	*	*	<b>0.1</b>	<b>0.3</b>	<b>0.8</b>	<b>0.7</b>	<b>0.3</b>	*	*	*	<b>2.2</b>
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	*	-	0.8
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	<b>TOTAL----</b>	-	-	-	-	*	*	<b>0.2</b>	<b>0.4</b>	<b>0.5</b>	<b>0.3</b>	<b>0.1</b>	*	*	*	<b>1.5</b>
42	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	-	-	-	*	*	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	<b>0.1</b>	*	*	*	-	<b>0.6</b>
52	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*

\* Less than 0.05 percent.



Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.2
43	1-2	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
53	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
<b>TOTAL, ALL----</b>		-	-	-	*	*	0.4	3.5	12.9	28.3	31.5	19.4	3.2	0.6	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		3.8														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		1.2														
Other - Level 1		*														

Average Staple 35.6  
Percent Tenderable 68.4

570,298 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 5. -- **Arkansas** : Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.4
	3	-	-	-	*	*	*	0.2	1.0	1.7	0.6	0.1	*	*	-	3.6
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.4
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	0.3	1.2	2.0	0.8	0.1	*	*	-	4.4
31	1-2	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	3	-	-	-	*	*	0.1	1.7	7.8	10.8	4.0	0.5	*	*	-	25.0
	4	-	-	-	*	*	*	0.7	4.6	9.4	4.8	0.6	*	*	-	20.2
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.2	2.5	12.6	20.5	9.0	1.2	*	*	-	46.0
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	0.6	2.5	3.9	1.3	0.1	*	*	-	8.4
	4	-	-	-	*	*	*	0.7	4.6	11.9	6.1	0.7	*	*	-	24.1
	5	-	-	-	-	-	*	*	0.3	1.1	0.7	0.1	*	*	-	2.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	*	*	0.1	1.3	7.4	17.0	8.1	0.9	*	*	-	34.8
51	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	0.1	*	*	*	-	-	0.1
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.3	0.9	0.9	0.3	*	*	*	-	2.4
	4	-	-	-	-	*	*	0.2	0.8	1.2	0.5	0.1	*	-	-	2.7
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.5	1.7	2.1	0.8	0.1	*	*	-	5.3
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.2	0.6	0.8	0.3	*	*	-	-	2.0
	4	-	-	-	-	*	*	0.3	1.4	2.6	1.3	0.2	*	-	-	5.8
	5	-	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	-	1.0
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	0.1	0.5	2.2	3.8	1.9	0.3	*	*	-	8.8
52	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	-	*	*	*	0.1	*	*	*	-	-	0.1

\* Less than 0.05 percent.



Table 5. -- **Arkansas** : Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
43	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	<b>TOTAL----</b>	-	-	-	-	*	*	*	*	0.1	*	*	-	-	-	0.2
53	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	<b>TOTAL----</b>	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	-	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
<b>TOTAL, ALL----</b>		-	-	-	*	*	0.5	5.1	25.3	45.7	20.7	2.6	*	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														Average Staple 34.9
Bark - Level 2		-														Percent Tenderable 74.4
Grass - Level 1		0.1														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

2,099,707 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	*	0.2	1.2	2.9	4.9	8.7	7.5	4.0	1.3	30.8
	3	-	-	-	*	*	*	0.1	0.5	2.1	6.8	14.0	6.5	4.1	2.3	36.3
	4	-	-	-	-	-	*	*	*	0.1	0.4	0.8	0.3	0.1	0.1	1.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.1	0.4	1.7	5.1	12.0	23.6	14.3	8.2	3.7	69.0
31	1-2	-	-	-	*	*	*	0.2	0.6	0.8	0.5	0.7	0.7	0.6	0.5	4.5
	3	-	-	-	-	*	*	0.1	0.5	1.4	2.9	4.8	2.8	2.3	1.3	16.3
	4	-	-	-	-	*	*	0.1	0.1	0.2	0.9	2.1	0.7	0.3	0.3	4.7
	5	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.4	1.2	2.4	4.5	7.9	4.3	3.2	2.1	26.1
41	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	*	0.4
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	0.1	*	*	0.9
	4	-	-	-	-	*	*	*	*	0.1	0.2	0.2	*	*	*	0.6
	5	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	*	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	0.4	0.5	0.4	0.5	0.1	*	*	2.2
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
61	1-2	-	-	-	-	-	-	*	*	*	*	-	-	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	*	-	*
71	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.1	0.4
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.8
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.6
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	0.1	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	0.2	0.3	0.2	0.1	0.2	1.1
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.4
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*

\* Less than 0.05 percent.



Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE															
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
33	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL----		-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2	
43	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*	
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
53	1-2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
	3	-	-	-	-	-	-	*	-	*	*	*	*	-	*	*	
	4	-	-	-	-	-	-	-	*	*	*	*	-	*	*	*	
	5	-	-	-	-	-	-	-	*	-	*	*	-	-	*	*	
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	*	-	*	-	-	-	*	
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
TOTAL, ALL----		-	-	-	*	*	0.2	1.1	3.5	8.3	17.4	32.6	19.0	11.8	6.3	100.0	
EXTRANEEOUS MATTER																	
Bark - Level 1		1.3															
Bark - Level 2		*															
Grass - Level 1		0.4															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		0.1															
Other - Level 1		-															
			Average Staple 37.1														
			Percent Tenderable 93.6														

1,052,999 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	-	-	*	0.1	1.0	1.6	0.5	*	-	-	-	3.4
	4	-	-	-	-	-	-	-	0.1	0.2	0.1	*	-	-	-	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.2	1.2	1.9	0.7	0.1	-	-	-	4.1
31	1-2	-	-	-	-	-	*	0.4	0.8	0.3	*	-	-	-	-	1.5
	3	-	-	-	-	*	0.2	3.6	17.0	18.6	4.6	0.4	*	-	-	44.5
	4	-	-	-	-	-	*	0.3	2.9	6.8	3.6	0.6	*	-	-	14.2
	5	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.3	4.3	20.7	25.8	8.3	1.0	*	-	-	60.4
41	1-2	-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	0.1	2.3	9.5	7.3	1.6	0.2	-	-	-	20.9
	4	-	-	-	-	-	*	0.5	3.3	5.7	2.2	0.4	*	-	-	12.3
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	0.1	2.9	12.9	13.1	3.9	0.6	*	-	-	33.6
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	0.1	0.5	0.2	*	*	-	-	-	0.9
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.2	0.8	0.3	0.1	*	-	-	-	1.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.2
42	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	0.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*

\* Less than 0.05 percent.



Table 7. -- **Florida** : Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY		LEAF	STAPLE													
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	-	*	0.5	7.6	35.8	41.3	13.1	1.7	*	-	-	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		0.6														
Bark - Level 2		*														
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														
		Average Staple														
		Percent Tenderable														
		34.6														
		95.1														

112,142 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	-	*	*	0.2	1.0	1.3	0.5	0.1	*	*	-	3.1
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.3	1.2	1.5	0.6	0.1	*	*	-	3.7
31	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	3	-	-	-	*	*	0.2	2.4	10.2	11.5	3.1	0.5	*	*	*	27.9
	4	-	-	-	*	*	*	0.6	3.2	5.4	2.6	0.7	*	*	-	12.5
	5	-	-	-	*	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.2	3.1	13.7	17.0	5.9	1.2	*	*	*	41.1
41	1-2	-	-	-	-	*	*	*	0.1	*	*	-	-	-	-	0.1
	3	-	-	-	*	*	0.3	3.2	9.4	7.5	1.9	0.3	*	*	*	22.6
	4	-	-	-	*	*	0.1	1.8	7.9	10.0	4.3	1.2	*	*	*	25.4
	5	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	0.9
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	0.4	5.1	17.5	17.9	6.5	1.6	0.1	*	*	48.9
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	*	-	1.1
	4	-	-	-	-	*	*	0.2	0.7	0.8	0.4	0.1	*	*	-	2.3
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	0.1	0.4	1.2	1.2	0.6	0.2	*	*	*	3.6
61	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
42	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	4	-	-	-	*	*	*	*	0.2	0.3	0.2	0.1	*	*	-	0.8
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	*	0.1	0.3	0.4	0.3	0.1	*	*	-	1.3
52	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	*	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6

\* Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL-----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EXTRANEEOUS MATTER																	
Bark - Level 1			0.9														
Bark - Level 2			-														
Grass - Level 1			0.1														
Grass - Level 2			-														
Prep - Level 1			0.2														
Prep - Level 2			-														
Other - Level 1			-														
Other - Level 1			-														

2,101,716 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.



Table 9. -- **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	-	-	-	-	0.1	0.3	0.3	0.1	*	-	-	0.9
	3	-	-	*	0.4	0.6	0.7	0.7	1.6	2.6	1.4	1.1	*	-	-	9.1
	4	-	-	*	0.3	1.1	2.1	1.0	0.7	1.0	0.4	0.2	*	-	-	6.7
	5	-	-	-	*	0.3	0.5	0.4	0.1	0.1	*	*	-	-	-	1.4
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	*	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	*	0.7	2.0	3.4	2.1	2.5	4.0	2.0	1.4	*	-	-	18.2
31	1-2	-	-	-	*	-	-	-	0.1	0.1	0.1	0.1	-	-	-	0.5
	3	-	-	-	*	0.4	1.0	1.2	1.8	2.5	1.9	1.7	0.1	-	-	10.5
	4	-	-	*	0.1	1.0	3.5	4.3	2.5	3.1	1.3	1.0	*	-	-	16.9
	5	-	-	*	0.1	1.2	4.9	5.9	1.4	1.0	0.4	0.2	*	-	-	15.1
	6	-	-	-	*	0.4	2.1	2.9	0.5	0.1	*	*	-	-	-	6.1
	7	-	-	-	-	*	0.2	0.6	0.1	*	*	-	-	-	-	0.9
TOTAL----		-	-	*	0.2	3.0	11.7	14.9	6.3	6.9	3.7	3.1	0.1	-	-	50.0
41	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.2
	4	-	-	-	*	0.1	0.3	0.5	0.2	0.2	0.1	*	*	-	-	1.3
	5	-	-	-	*	0.3	1.0	1.4	0.5	0.3	0.1	*	-	-	-	3.6
	6	-	-	-	*	0.3	1.0	1.9	0.5	0.1	*	*	-	-	-	3.7
	7	-	-	-	-	0.1	0.4	1.1	0.2	*	*	*	-	-	-	1.7
TOTAL----		-	-	-	*	0.8	2.7	4.8	1.4	0.6	0.2	0.1	*	-	-	10.6
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	*	-	*	-	-	-	-	*	*
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	0.2	0.2	0.2	0.2	0.5	0.8	0.3	0.1	*	-	-	2.6
	4	-	-	-	*	0.3	0.4	0.3	0.3	0.3	0.1	*	-	-	-	1.9
	5	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	-	0.4
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	0.2	0.5	0.7	0.7	0.9	1.2	0.5	0.2	*	*	-	5.0
32	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.1	0.2	0.2	0.3	0.3	0.3	*	-	-	1.5
	4	-	-	-	*	0.1	0.4	0.6	0.6	0.4	0.2	0.2	*	-	-	2.6
	5	-	-	-	*	0.1	0.6	1.3	0.3	0.2	0.1	0.1	*	-	-	2.7
	6	-	-	-	*	*	0.3	0.5	0.1	*	*	*	-	-	-	1.0
	7	-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	0.2
TOTAL----		-	-	-	*	0.3	1.5	2.7	1.2	1.1	0.8	0.6	*	*	-	8.1
42	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	*	*	*	0.1	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	7	-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	0.2
TOTAL----		-	-	-	*	*	0.2	0.4	0.2	0.1	*	*	-	-	-	0.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*

\* Less than 0.05 percent.

Table 9. -- **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	*	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	0.1	0.2	0.1	0.2	0.2	0.1	*	*	-	-	1.0
	4	-	-	*	*	0.2	0.2	*	0.1	0.1	*	*	-	-	-	0.6
	5	-	-	-	-	*	*	*	-	*	-	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.3	0.5	0.1	0.3	0.3	0.1	*	*	-	-	1.8
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	0.2	*	0.1	0.1	0.1	0.1	*	-	-	0.7
	4	-	-	-	*	0.2	0.3	0.2	0.1	0.1	*	*	*	-	-	1.1
	5	-	-	-	*	0.1	0.2	0.4	0.1	0.1	*	*	-	-	-	0.9
	6	-	-	-	*	*	0.1	0.2	*	*	*	*	-	-	-	0.3
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
TOTAL----		-	-	-	*	0.3	0.8	0.9	0.3	0.3	0.2	0.2	*	-	-	3.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	0.1	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	0.1	*	*	*	-	-	-	-	0.2
	7	-	-	-	-	-	*	0.1	*	*	*	-	-	-	-	0.1
TOTAL----		-	-	-	-	*	*	0.3	*	*	*	*	-	-	-	0.5
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	*	0.2	0.4	0.2	0.1	*	*	*	-	-	-	1.0
25-35	1-7	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	*	*	0.1	0.5	0.1	*	-	-	-	-	-	0.7
TOTAL, ALL----		-	-	*	1.3	7.4	22.0	27.8	13.4	14.5	7.7	5.6	0.2	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		12.5														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		0.1														
Other - Level 1		-														

90,964 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 10. -- **Louisiana** : Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.8	2.6	3.3	1.3	0.3	*	*	-	-	8.4
	3	-	-	-	*	*	0.6	2.9	6.0	4.3	1.5	0.3	*	*	-	15.5
	4	-	-	-	-	-	*	*	0.2	0.3	0.2	0.1	*	*	-	0.9
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	1.4	5.5	9.5	6.0	1.9	0.4	*	*	-	24.8
31	1-2	-	-	-	*	*	0.3	0.9	1.0	0.4	0.1	*	*	-	-	2.7
	3	-	-	-	*	*	1.2	6.6	15.5	11.1	3.6	0.6	*	*	-	38.7
	4	-	-	-	-	*	0.1	0.5	2.5	4.2	2.7	0.8	0.1	*	-	10.9
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	1.6	8.1	19.1	15.9	6.5	1.5	0.2	*	-	52.8
41	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.3	1.8	4.0	2.8	0.7	0.1	*	*	-	9.6
	4	-	-	-	-	*	0.1	0.4	1.6	2.6	1.6	0.4	*	*	*	6.7
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	0.4	2.3	5.7	5.5	2.5	0.7	0.1	*	*	17.1
51	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
61	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.5
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.3	0.3	0.2	*	*	*	-	1.1
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	*	-	1.0
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.3	0.6	0.7	0.4	0.1	*	*	2.1
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	-	1.3
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.4	0.7	0.5	0.2	*	*	-	2.0
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1

\* Less than 0.05 percent.



Table 10. -- **Louisiana**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL, ALL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>EXTRANEEOUS MATTER</b>																
Bark - Level 1		*														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

1,105,639 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.4	0.7	0.3	*	*	*	-	-	1.5
	3	-	-	-	*	*	0.2	1.1	2.6	2.1	0.6	0.2	*	*	-	6.7
	4	-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	*	-	0.6
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	<b>0.3</b>	<b>1.5</b>	<b>3.4</b>	<b>2.6</b>	<b>0.8</b>	<b>0.2</b>	*	*	-	<b>8.8</b>
31	1-2	-	-	-	*	*	0.1	0.5	0.6	0.2	*	*	*	*	-	1.5
	3	-	-	-	*	*	0.8	5.3	12.6	10.5	3.0	0.7	*	*	*	32.9
	4	-	-	-	*	*	0.2	1.3	5.4	8.0	3.4	0.7	*	*	-	18.9
	5	-	-	-	-	*	*	*	0.1	0.3	0.1	*	*	*	-	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	<b>0.1</b>	<b>1.1</b>	<b>7.1</b>	<b>18.7</b>	<b>19.0</b>	<b>6.6</b>	<b>1.4</b>	<b>0.1</b>	*	*	<b>53.9</b>
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	0.1	1.0	2.5	2.1	0.6	0.1	*	*	-	6.5
	4	-	-	-	-	*	0.1	0.9	4.1	6.5	2.9	0.5	*	*	-	15.0
	5	-	-	-	-	*	*	0.1	0.4	0.9	0.5	0.1	*	*	-	2.0
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
<b>TOTAL----</b>		-	-	-	-	*	<b>0.3</b>	<b>2.1</b>	<b>7.0</b>	<b>9.6</b>	<b>4.0</b>	<b>0.7</b>	*	*	-	<b>23.7</b>
51	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	<b>0.1</b>	*	*	*	*	-	-	<b>0.2</b>
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	*	<b>0.1</b>	<b>0.1</b>	*	*	*	*	*	-	<b>0.3</b>
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.4	0.8	0.7	0.2	*	*	*	*	2.1
	4	-	-	-	*	*	*	0.3	1.0	1.3	0.5	0.1	*	*	-	3.2
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>0.7</b>	<b>1.9</b>	<b>2.1</b>	<b>0.7</b>	<b>0.1</b>	*	*	*	<b>5.6</b>
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.4	0.4	0.1	*	*	*	-	1.0
	4	-	-	-	-	*	*	0.3	1.4	2.2	0.9	0.1	*	*	-	5.0
	5	-	-	-	-	*	*	*	0.2	0.4	0.2	*	*	*	-	0.9
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	<b>0.5</b>	<b>1.9</b>	<b>2.9</b>	<b>1.3</b>	<b>0.2</b>	*	*	*	-	<b>6.9</b>
52	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	*	*	<b>0.1</b>	*	*	*	*	-	-	<b>0.2</b>

\* Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
43	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	<b>TOTAL----</b>	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
<b>TOTAL, ALL----</b>		-	-	-	*	0.1	1.8	12.0	33.2	36.6	13.6	2.6	0.1	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.6														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

2,089,118 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.



Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	*	*	0.2	0.6	1.0	0.5	0.1	*	-	-	2.4
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	<b>0.3</b>	<b>0.7</b>	<b>1.2</b>	<b>0.7</b>	<b>0.1</b>	*	-	-	<b>3.0</b>
31	1-2	-	-	-	-	*	*	0.2	0.4	0.2	*	*	-	-	-	0.9
	3	-	-	-	*	*	0.2	2.9	11.2	16.7	8.6	1.5	*	*	-	41.3
	4	-	-	-	-	*	*	0.5	3.8	8.9	7.2	2.3	*	*	-	22.7
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	<b>0.3</b>	<b>3.6</b>	<b>15.4</b>	<b>25.9</b>	<b>16.0</b>	<b>3.9</b>	<b>0.1</b>	*	-	<b>65.2</b>
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-
	3	-	-	-	*	*	*	0.4	1.8	3.7	2.3	0.3	*	-	-	8.5
	4	-	-	-	-	*	*	0.2	1.6	5.2	5.2	1.1	*	*	-	13.3
	5	-	-	-	-	-	-	*	*	0.2	0.3	0.1	*	-	-	0.7
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	*	<b>0.5</b>	<b>3.5</b>	<b>9.2</b>	<b>7.8</b>	<b>1.5</b>	*	*	-	<b>22.5</b>
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	-	-	-	<b>0.1</b>
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	0.1	0.8	1.6	1.0	0.2	*	*	-	-	3.7
	4	-	-	-	*	*	*	0.2	0.6	0.6	0.2	*	*	-	-	1.6
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>1.0</b>	<b>2.3</b>	<b>1.7</b>	<b>0.4</b>	*	*	-	-	<b>5.4</b>
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.2	0.6	0.6	0.2	*	*	-	-	1.6
	4	-	-	-	-	-	*	0.1	0.7	0.7	0.3	*	*	-	-	1.8
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	*	<b>0.4</b>	<b>1.3</b>	<b>1.3</b>	<b>0.4</b>	*	*	-	-	<b>3.5</b>
52	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*

\* Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY		LEAF	STAPLE														TOTAL
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
	Pct.		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
33	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1	
43	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1	
53	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
63	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	3	-	-	*	-	-	-	*	-	-	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	-	-	*	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	*	-	*	*	-	*	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
TOTAL, ALL----		-	-	-	-	-	0.5	5.7	23.3	39.4	25.4	5.6	0.1	-	-	100.0	
EXTRANEEOUS MATTER																Average Staple	35.0
																Percent Tenderable	71.8
Bark - Level 1		0.1															
Bark - Level 2		*															
Grass - Level 1		*															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

864,415 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	0.1	0.4	3.4	14.2	22.3	15.3	3.1	0.6	*	59.5
	3	-	-	-	*	*	0.1	0.8	1.6	2.2	4.9	6.4	2.9	0.8	0.1	19.8
	4	-	-	-	-	-	-	0.1	0.1	0.1	0.2	0.4	0.3	0.2	0.1	1.4
	5	-	-	-	-	-	-	*	-	*	*	*	0.1	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.2	1.2	5.1	16.5	27.4	22.2	6.4	1.6	0.2	80.8
31	1-2	-	-	-	-	-	*	0.1	0.6	1.5	3.2	2.2	0.3	*	-	7.9
	3	-	-	-	-	-	*	0.1	0.4	1.0	2.5	2.8	0.8	0.2	*	7.8
	4	-	-	-	-	-	-	*	0.1	0.2	0.2	0.6	0.6	0.1	*	1.9
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	0.2	1.1	2.7	5.9	5.7	1.8	0.4	*	17.9
41	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.3
	4	-	-	-	-	-	-	*	*	0.1	*	*	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	0.1	0.2	0.1	0.1	0.1	*	-	0.8
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.2
32	1-2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	-	*	0.1	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	-	-	*	*	*	-	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*

\* Less than 0.05 percent.



Table 13. -- **New Mexico** : Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 & 23	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	3	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	*	*	-	*		
33	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	*	*	*		
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	*	*		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL----		-	-	-	*	*	0.2	1.5	6.4	19.5	33.5	28.1	8.4	2.1	0.2	100.0		
EXTRANEEOUS MATTER																Average Staple	36.1	
																Percent Tenderable	76.9	
Bark - Level 1		0.5																
Bark - Level 2		-																
Grass - Level 1		0.1																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		0.1																
Other - Level 1		*																

51,469 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 14. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
31	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	0.3	1.3	1.6	0.8	0.2	*	*	-	4.3
	4	-	-	-	*	*	*	0.1	0.6	1.2	0.8	0.2	*	*	-	2.9
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	*	*	*	0.5	1.9	2.9	1.8	0.4	*	*	-	7.5
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	0.1	1.1	4.5	5.4	2.4	0.5	*	*	-	14.0
	4	-	-	-	*	*	*	0.9	5.4	9.9	6.2	1.4	*	*	-	23.9
	5	-	-	-	-	*	*	*	0.3	0.8	0.8	0.2	*	*	-	2.2
	6	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	0.1	2.0	10.2	16.2	9.4	2.1	0.1	*	*	40.2
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	0.1	0.5	1.8	2.4	1.1	0.2	*	*	-	6.1
	4	-	-	-	*	*	*	0.7	3.3	6.1	3.6	0.8	*	-	-	14.6
	5	-	-	-	-	-	*	*	0.3	0.7	0.6	0.2	*	*	-	1.7
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	0.1	1.2	5.5	9.2	5.3	1.1	*	*	-	22.5
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	-	-	0.8
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	0.1	0.3	0.9	0.9	0.4	0.1	*	-	-	2.6
	4	-	-	-	*	*	*	0.4	1.6	2.4	1.2	0.2	*	*	-	5.9
	5	-	-	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	-	0.8
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	0.1	0.8	2.7	3.6	1.8	0.3	*	*	-	9.5
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	0.1	0.5	1.3	1.3	0.4	*	*	-	-	3.7
	4	-	-	-	*	*	0.1	0.8	3.1	4.2	1.9	0.3	*	-	-	10.3
	5	-	-	-	-	*	*	0.1	0.4	0.7	0.5	0.1	*	-	-	1.8
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	0.1	1.4	4.8	6.3	2.8	0.4	*	-	-	15.9

\* Less than 0.05 percent.

Table 14. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	-	0.2
	4	-	-	-	-	*	*	*	0.2	0.2	0.1	*	-	-	-	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	0.1	0.3	0.4	0.1	*	*	-	-	0.9
13 & 23	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
	4	-	-	-	*	*	*	*	0.2	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	-	-	0.8
53	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	-	0.7
	5	-	-	-	-	*	*	-	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	-	1.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	0.1	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.1
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL, ALL-----</b>		-	-	-	*	*	0.5	6.4	26.4	40.0	22.0	4.5	0.1	*	*	100.0
<b>EXTRANEIOUS MATTER</b>																
Bark - Level 1	1.5															
Bark - Level 2	*															
Grass - Level 1	0.4															
Grass - Level 2	-															
Prep - Level 1	0.6															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

1,398,312 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.



Table 15. -- **Oklahoma:** Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	0.1	0.5	1.2	2.8	5.2	7.3	6.7	4.1	0.4	*	*	28.3
	3	-	*	*	*	0.4	1.4	4.0	7.3	7.8	6.2	5.1	1.1	*	*	33.3
	4	-	-	-	*	*	0.1	0.4	0.8	0.8	0.5	0.2	*	*	-	3.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	*	*	0.1	0.9	2.7	7.2	13.3	16.0	13.4	9.4	1.5	*	*	64.7
31	1-2	-	-	*	*	*	0.1	0.3	0.6	0.7	0.7	0.4	*	*	-	2.9
	3	-	-	*	*	0.1	0.5	1.3	2.4	2.7	2.6	2.1	0.4	*	-	12.2
	4	-	-	*	*	0.1	0.3	0.7	1.4	1.4	0.9	0.5	0.1	*	-	5.5
	5	-	-	-	*	*	0.1	0.2	0.4	0.3	0.2	0.1	*	*	-	1.3
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	*	*	0.3	1.0	2.5	4.8	5.2	4.4	3.2	0.6	*	-	22.0
41	1-2	-	-	-	*	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	0.1	*	*	*	*	*	-	0.3
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
<b>TOTAL----</b>		-	*	*	*	*	0.1	0.1	0.2	0.1	0.1	0.1	*	*	*	0.9
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	*	*
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	*	*	*	0.1	0.2	0.3	0.6	0.5	0.3	0.1	*	-	-	2.2
	3	-	-	*	*	0.1	0.2	0.7	1.2	1.2	0.5	0.2	*	-	-	4.1
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	*	*	0.1	0.2	0.5	1.1	2.0	1.9	0.9	0.3	*	-	-	7.0
32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2
	3	-	-	-	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	-	-	1.1
	4	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	-	-	0.8
	5	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	0.2	0.4	0.7	0.6	0.4	0.1	*	-	-	2.5
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	*	*	*	0.1	*	*	*	*	*	-	-	0.3
52	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*

\* Less than 0.05 percent.

Table 15. -- **Oklahoma**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	*	0.1	0.1	0.1	0.2	0.1	*	*	-	-	-	0.7
	3	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	*	*	0.1	0.2	0.2	0.4	0.3	0.1	*	*	-	-	1.4
33	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	<b>TOTAL----</b>	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7
43	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
25-35	1-7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	*	*	*	-	-	-	*	-	-	-	*
<b>TOTAL, ALL----</b>		-	*	*	0.3	1.7	4.7	11.8	21.9	24.5	19.5	13.2	2.2	0.1	*	100.0
EXTRANEIOUS MATTER		Average Staple														34.8
		Percent Tenderable														74.0
Bark - Level 1		9.0														
Bark - Level 2		*														
Grass - Level 1		0.1														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 2		*														

340,625 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.4	0.2	*	*	*	-	0.9
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.5	0.3	0.1	*	*	-	1.2
31	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	*	-	0.1	0.8	3.5	4.5	1.6	0.4	*	*	-	10.9
	4	-	-	-	-	*	*	0.2	0.9	2.0	1.6	0.4	*	*	-	5.2
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	1.0	4.6	6.7	3.3	0.8	0.1	*	-	16.6
41	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.3	2.5	10.8	11.5	3.6	0.5	*	-	-	29.2
	4	-	-	-	-	*	*	1.1	7.4	12.1	6.3	1.5	*	*	-	28.5
	5	-	-	-	-	-	*	*	0.2	0.6	0.7	0.3	*	*	-	1.8
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
TOTAL----		-	-	-	*	*	0.3	3.7	18.4	24.3	10.6	2.3	0.1	*	-	59.7
51	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.5	2.0	1.8	0.5	0.1	*	-	-	4.9
	4	-	-	-	-	*	-	0.4	1.9	2.5	1.2	0.3	*	-	-	6.4
	5	-	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	0.7
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.9	4.0	4.5	2.0	0.5	*	*	-	12.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.2	0.3	0.2	0.1	*	-	-	0.7
42	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.5	0.7	0.3	0.1	*	-	-	1.7
	4	-	-	-	-	*	*	0.1	0.5	1.3	0.9	0.4	*	-	-	3.2
	5	-	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	1.0	2.1	1.4	0.5	*	*	-	5.4
52	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.2	0.4	0.2	*	*	-	-	0.9
	4	-	-	-	-	-	*	0.1	0.3	0.9	0.6	0.2	*	*	-	2.1
	5	-	-	-	-	-	*	-	*	0.1	0.1	*	*	*	-	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	0.1	0.6	1.4	1.0	0.3	*	*	-	3.5

\* Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	*	*	*	*	*	*	*	*	*	<b>0.1</b>
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	*	*	*	*	*	*	-	-	-	<b>0.1</b>
43	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	*	*	*	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	*	*	-	-	<b>0.3</b>
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	*	*	*	<b>0.1</b>	*	*	-	-	-	<b>0.1</b>
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL, ALL----</b>		-	-	-	*	*	<b>0.5</b>	<b>6.1</b>	<b>29.3</b>	<b>40.2</b>	<b>18.9</b>	<b>4.7</b>	<b>0.2</b>	*	*	<b>100.0</b>
EXTRANEIOUS MATTER		Average Staple														<b>34.9</b>
		Percent Tenderable														<b>85.8</b>
Bark - Level 1		0.9														
Bark - Level 2		*														
Grass - Level 1		0.3														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

**391,283** Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.



Table 17. -- **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
11 & 21	1-2	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	3	-	-	-	-	*	0.3	1.4	2.2	1.5	0.4	*	-	-	-	5.7
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.8
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	*	*	<b>0.3</b>	<b>1.7</b>	<b>2.6</b>	<b>1.8</b>	<b>0.5</b>	*	*	-	-	<b>7.1</b>
31	1-2	-	-	-	-	*	0.1	0.3	0.2	0.1	*	*	-	-	-	0.7
	3	-	-	-	*	*	1.6	8.3	13.6	8.4	2.1	0.2	*	-	-	34.2
	4	-	-	-	*	*	0.7	4.2	11.2	10.6	3.4	0.4	*	-	-	30.6
	5	-	-	-	-	*	*	0.1	0.2	0.3	0.2	*	-	-	-	0.9
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	-	-	*	<b>0.1</b>	<b>2.4</b>	<b>12.9</b>	<b>25.2</b>	<b>19.4</b>	<b>5.7</b>	<b>0.6</b>	*	-	-	<b>66.4</b>
41	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.8	1.6	0.9	0.2	*	-	-	-	3.7
	4	-	-	-	*	*	0.2	1.3	3.5	3.3	1.0	0.1	*	-	-	9.3
	5	-	-	-	-	*	*	0.1	0.4	0.5	0.2	*	-	-	-	1.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>	-	-	-	*	*	<b>0.3</b>	<b>2.2</b>	<b>5.5</b>	<b>4.7</b>	<b>1.4</b>	<b>0.2</b>	*	-	-	<b>14.3</b>
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	<b>TOTAL----</b>	-	-	-	-	*	*	*	*	*	*	*	-	-	-	<b>0.1</b>
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	*	*	*	*	-	*	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	*	*	<b>0.1</b>	<b>0.1</b>	*	*	*	*	-	-	-	<b>0.2</b>
32	1-2	-	-	-	*	*	*	0.1	*	*	*	-	-	-	-	0.1
	3	-	-	-	*	*	0.4	1.4	1.5	0.6	0.1	*	*	-	-	4.0
	4	-	-	-	*	*	0.2	0.8	1.1	0.7	0.2	*	-	-	-	2.9
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	*	*	<b>0.6</b>	<b>2.3</b>	<b>2.7</b>	<b>1.3</b>	<b>0.2</b>	*	*	-	-	<b>7.2</b>
42	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.4	0.6	0.3	*	*	-	-	-	1.5
	4	-	-	-	-	*	0.1	0.5	0.9	0.6	0.2	*	-	-	-	2.4
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	<b>TOTAL----</b>	-	-	-	*	*	<b>0.2</b>	<b>1.0</b>	<b>1.7</b>	<b>1.1</b>	<b>0.2</b>	*	-	-	-	<b>4.2</b>
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	<b>TOTAL----</b>	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*

\* Less than 0.05 percent.

Table 17. -- **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
43	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
<b>TOTAL, ALL----</b>		-	-	-	*	0.2	4.0	20.3	38.0	28.5	8.2	0.8	*	-	-	100.0
EXTRANEEOUS MATTER		Average Staple														34.2
		Percent Tenderable														74.8
Bark - Level 1	0.7															
Bark - Level 2	*															
Grass - Level 1	0.2															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

1,083,010 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	*	0.3	1.3	3.6	6.2	7.0	4.5	1.4	0.1	*	-	24.3
	3	-	*	*	*	0.4	1.6	4.5	8.4	10.6	8.2	3.4	0.2	*	*	37.4
	4	-	*	*	*	0.1	0.3	0.5	1.0	1.2	1.0	0.5	*	*	*	4.6
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	*	*	*	0.1	0.8	3.1	8.7	15.6	18.9	13.6	5.4	0.3	*	*	66.5
31	1-2	-	-	*	*	*	0.2	0.4	0.6	0.6	0.3	0.1	*	*	-	2.3
	3	-	*	*	*	0.2	0.6	1.6	2.7	3.6	2.6	1.0	0.1	*	-	12.4
	4	-	*	*	*	0.1	0.3	0.7	1.4	2.1	1.8	0.8	0.1	*	*	7.2
	5	-	-	*	*	*	0.1	0.1	0.2	0.3	0.2	0.1	*	*	-	1.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	0.3	1.2	2.9	5.0	6.6	5.0	2.0	0.2	*	*	23.2
41	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	*	*	0.1	0.2	0.2	0.3	0.2	0.1	*	*	-	1.2
	4	-	-	*	*	*	0.1	0.2	0.3	0.4	0.3	0.2	*	*	*	1.5
	5	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	0.8
	6	-	-	*	*	*	*	*	*	0.1	*	*	*	*	-	0.2
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	*	0.2	0.4	0.8	1.1	0.8	0.4	0.1	*	*	3.9
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
61	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.6
	3	-	-	*	*	*	0.2	0.4	0.5	0.4	0.2	0.1	*	*	-	1.7
	4	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	*	0.1	0.3	0.6	0.8	0.6	0.3	0.1	*	*	-	2.8
32	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	-	0.7
	4	-	-	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	-	0.7
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	0.1	0.2	0.4	0.4	0.3	0.2	0.1	*	*	-	1.6
42	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	4	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	-	0.7
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1

\* Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
<b>TOTAL----</b>		-	-	*	*	*	*	0.1	*	*	*	*	*	*	-	0.2
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
<b>TOTAL----</b>		-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
53	1-2	-	-	-	-	*	*	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
<b>TOTAL, ALL----</b>		*	*	*	0.2	1.3	5.2	13.4	23.1	28.0	20.2	8.1	0.6	*	*	100.0
EXTRANEIOUS MATTER		Average Staple														34.7
		Percent Tenderable														59.0
Bark - Level 1	8.3															
Bark - Level 2	*															
Grass - Level 1	0.4															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	0.1															
Other - Level 1	*															

8,077,478 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.



Table 19. -- *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	0.4
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	0.4
31	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.4	1.6	2.0	1.1	0.2	*	*	5.5
	4	-	-	-	-	-	*	*	0.2	1.1	1.8	1.1	0.2	*	*	4.5
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	0.7	2.9	3.9	2.4	0.4	*	*	10.4
41	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.2	1.2	3.9	4.7	2.4	0.2	*	*	12.8
	4	-	-	-	-	-	*	0.1	1.3	5.0	6.6	4.0	0.5	*	*	17.5
	5	-	-	-	-	-	-	*	*	0.3	0.6	0.4	*	*	-	1.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.3	2.5	9.2	11.9	6.8	0.8	*	*	31.7
51	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.9	2.8	3.1	1.9	0.2	*	*	8.9
	4	-	-	-	-	-	*	0.1	1.4	5.2	6.7	4.1	0.4	-	-	18.0
	5	-	-	-	-	-	-	*	*	0.2	0.3	0.3	*	-	-	0.8
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.2	2.4	8.1	10.1	6.3	0.6	*	*	27.8
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	0.3
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	-	-	0.6
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	0.4
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.1	0.3	0.4	0.1	*	-	-	0.9
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	0.3	1.0	1.4	0.8	0.2	*	*	-	3.7
	4	-	-	-	-	-	*	0.2	0.9	1.8	1.1	0.4	*	*	*	4.4
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.1	0.4	1.9	3.3	2.0	0.7	*	*	*	8.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	0.2	1.3	2.1	1.3	0.4	*	*	-	5.4
	4	-	-	-	-	-	*	0.3	2.0	4.5	3.8	1.3	0.1	*	-	12.0
	5	-	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	-	-	0.9
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.5	3.4	6.9	5.5	1.9	0.1	*	-	18.4

\* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:  
March 2, 2006

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
	4	-	-	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	0.5	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	0.1	0.2	0.3	0.1	-	-	0.6	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EXTRANEEOUS MATTER																Average Staple	35.6
																Percent Tenderable	60.0
Bark - Level 1		0.5															
Bark - Level 2		-															
Grass - Level 1		0.3															
Grass - Level 2		-															
Prep - Level 1		0.2															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

166,764 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through March 2, 2006

MIKE AND FIBER STRENGTH		ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
<b>MIKE</b>	24 & below	*	*	-	*	-	*	0.1	-	-
	25	*	*	-	*	-	*	0.1	-	-
	26	*	*	-	*	*	*	0.3	-	-
	27	*	0.1	*	0.1	*	*	0.4	*	*
	28	*	0.1	*	0.1	*	*	0.5	*	*
	29	*	0.1	*	0.1	*	*	1.1	*	*
	30	*	0.2	*	0.2	*	*	1.6	*	*
	31	0.1	0.2	*	0.3	*	*	2.2	*	*
	32	0.2	0.4	*	0.3	0.1	0.1	3.0	*	*
	33	0.3	0.5	*	0.4	0.2	0.1	4.3	*	*
	34	0.6	0.6	*	0.6	0.3	0.2	5.4	*	0.1
	35	1.1	0.8	0.1	1.0	0.3	0.4	6.8	*	0.2
	36	1.8	1.2	0.3	1.6	0.4	0.5	8.4	0.1	0.3
	37	2.6	1.6	0.7	2.5	0.6	0.7	7.6	0.3	0.6
	38	3.5	2.2	1.5	3.5	0.8	1.0	6.4	0.4	1.1
	39	4.6	2.7	3.0	5.1	1.4	1.5	5.0	0.6	1.9
	40	5.6	3.3	4.9	7.2	2.4	2.2	4.2	1.1	3.1
	41	6.4	3.7	7.0	8.7	3.5	3.3	3.5	1.9	4.5
	42	7.3	4.5	8.4	10.3	5.2	4.8	3.5	3.1	5.9
	43	7.9	5.2	8.0	11.7	7.8	7.1	3.1	4.7	7.6
	44	9.0	6.1	7.6	11.6	11.5	10.0	3.1	6.8	9.5
	45	10.2	7.0	7.5	10.7	15.0	13.1	3.9	9.3	11.5
	46	10.9	8.1	8.4	9.2	17.6	15.4	3.4	12.5	12.7
	47	10.1	9.3	9.1	6.8	14.7	15.4	3.4	15.2	12.7
	48	7.7	9.6	9.3	4.3	10.6	12.3	3.3	16.0	11.0
	49	5.1	9.5	8.6	2.0	5.3	7.4	3.0	12.7	7.9
	50	2.9	8.5	6.6	0.8	1.9	3.2	2.3	8.0	4.9
	51	1.3	6.5	4.4	0.4	0.4	1.0	1.9	4.2	2.7
	52	0.5	4.4	2.6	0.2	0.1	0.3	2.2	2.0	1.2
	53	0.1	2.3	1.2	0.1	*	*	1.9	0.8	0.4
	54	*	0.9	0.5	*	*	*	1.5	0.2	0.1
	55	*	0.3	0.2	*	*	*	1.5	0.1	*
	56	*	0.1	0.1	*	*	*	1.0	*	*
	57	*	*	*	-	*	-	0.3	*	*
	58	*	*	*	-	-	-	0.1	*	*
	59	-	*	*	-	-	-	*	-	-
	60 & above	-	-	-	-	-	-	-	-	-
<b>Average mike</b>		<b>44</b>	<b>46</b>	<b>45</b>	<b>43</b>	<b>45</b>	<b>45</b>	<b>41</b>	<b>47</b>	<b>46</b>
<b>FIBER STRENGTH 1/</b>										
	17 & below	-	-	-	-	-	-	-	-	-
	18	-	-	-	-	-	-	-	-	-
	19	-	-	*	-	-	-	-	-	*
	20	-	*	*	*	-	-	*	-	*
	21	-	*	*	*	-	*	*	-	*
	22	*	0.1	*	*	*	*	*	-	*
	23	*	0.2	*	*	*	*	0.1	*	*
	24	0.2	0.6	0.1	*	0.2	0.1	0.1	0.3	0.2
	25	0.9	1.8	0.6	0.1	0.9	0.7	0.4	1.7	1.1
	26	4.1	4.5	2.7	0.3	3.7	2.7	3.0	6.4	4.2
	27	12.2	9.0	9.5	0.9	12.5	8.7	12.0	16.5	12.1
	28	21.7	14.6	22.8	2.3	25.8	20.3	25.1	26.4	22.9
	29	24.0	20.7	29.4	3.7	30.4	28.5	24.8	23.4	26.1
	30	17.8	21.7	19.9	4.7	16.8	21.5	19.2	13.7	18.6
	31	10.6	15.6	9.1	6.5	6.2	10.7	11.0	6.8	9.2
	32	5.2	7.7	3.8	10.2	2.3	4.5	3.6	3.1	3.5
	33	2.3	2.7	1.4	11.7	0.8	1.7	0.6	1.2	1.2
	34	0.8	0.7	0.5	16.2	0.3	0.6	0.1	0.4	0.6
	35	0.2	0.2	0.1	20.0	*	0.1	*	0.1	0.3
	36 & above	*	*	*	23.5	*	*	*	*	0.1
<b>Average strength</b>		<b>29.1</b>	<b>29.3</b>	<b>29.1</b>	<b>33.7</b>	<b>28.7</b>	<b>29.2</b>	<b>28.9</b>	<b>28.6</b>	<b>28.9</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

\* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through  
March 2, 2006

MIKE AND FIBER STRENGTH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
<b>MIKE</b> 24 & below	-	0.3	*	0.1	-	-	0.1	*	*
25	*	0.2	*	0.2	*	*	0.2	*	0.1
26	*	0.2	-	0.3	*	*	0.4	-	0.2
27	*	0.6	*	0.3	*	*	0.8	*	0.3
28	*	0.9	*	0.4	*	*	1.2	-	0.5
29	*	1.5	*	0.5	*	*	1.8	-	0.7
30	*	1.9	*	0.7	*	*	2.6	-	1.0
31	*	2.8	*	0.9	*	*	3.4	*	1.3
32	*	3.5	*	1.1	0.1	*	4.3	*	1.6
33	*	4.0	*	1.7	0.1	0.1	5.2	*	2.0
34	*	5.2	*	2.4	0.2	0.1	6.0	*	2.3
35	*	5.4	0.1	2.9	0.4	0.3	6.7	0.1	2.7
36	0.1	7.0	0.2	3.9	0.5	0.5	7.2	0.2	3.1
37	0.3	8.4	0.3	5.1	0.9	0.8	7.4	0.5	3.3
38	0.6	8.1	0.7	6.3	1.5	1.4	7.5	1.4	3.7
39	1.2	8.5	1.4	7.1	2.3	2.4	7.3	2.0	4.2
40	2.5	8.8	2.6	8.1	3.6	3.8	6.8	2.9	4.8
41	4.2	8.2	4.6	8.9	5.3	5.7	6.1	4.5	5.5
42	5.8	7.1	7.0	9.2	7.8	7.8	5.3	6.0	6.1
43	7.4	5.8	9.2	8.8	10.8	9.5	4.3	7.6	6.7
44	8.5	4.8	10.8	7.6	13.7	10.5	3.4	9.3	7.1
45	8.7	3.4	11.9	6.3	15.7	10.3	2.7	10.2	7.6
46	9.1	1.9	12.3	5.1	14.3	9.6	2.1	10.1	7.9
47	9.3	0.9	11.6	3.9	10.8	8.7	1.7	9.6	7.7
48	9.4	0.4	9.5	2.9	6.8	7.2	1.4	9.1	6.7
49	8.4	0.2	6.9	1.9	3.5	5.9	1.1	8.2	5.0
50	7.1	*	4.5	1.1	1.2	4.8	0.8	7.0	3.3
51	5.8	*	2.8	0.7	0.3	3.8	0.6	4.9	2.1
52	4.3	*	1.8	0.5	0.1	2.8	0.4	3.4	1.2
53	3.1	*	1.0	0.4	*	1.9	0.3	1.9	0.7
54	2.1	-	0.5	0.2	*	1.1	0.2	0.8	0.4
55	1.2	*	0.2	0.1	*	0.5	0.1	0.3	0.2
56	0.6	-	*	0.1	-	0.2	0.1	*	0.1
57	0.2	-	*	0.1	-	*	*	*	*
58	*	-	*	*	-	*	*	-	*
59	-	-	-	*	-	-	*	-	*
60 & above	-	-	-	*	-	-	*	-	*
<b>Average mike</b>	<b>47</b>	<b>38</b>	<b>46</b>	<b>41</b>	<b>44</b>	<b>45</b>	<b>38</b>	<b>46</b>	<b>46</b>
<b>FIBER STRENGTH 1/</b>									
17 & below	-	-	-	-	-	-	-	-	-
18	*	-	-	-	-	-	-	-	*
19	*	-	*	*	*	*	*	-	*
20	*	*	*	*	*	*	*	-	*
21	*	*	*	*	*	*	*	-	*
22	*	*	*	*	*	*	*	*	*
23	*	0.2	0.1	0.1	0.1	*	0.1	*	0.1
24	0.1	0.7	0.7	0.2	0.4	0.1	0.5	0.2	0.3
25	0.3	2.5	3.4	0.6	1.8	0.6	1.9	1.3	1.4
26	1.7	6.8	9.7	2.2	6.9	2.7	5.5	4.6	4.5
27	6.8	13.5	19.2	7.4	17.8	9.5	12.3	12.2	11.4
28	18.1	20.3	24.3	15.0	25.8	21.9	20.3	20.0	20.4
29	28.7	22.2	20.0	20.5	21.7	28.9	23.2	22.3	23.9
30	24.8	18.1	12.5	21.5	13.7	21.1	18.2	17.6	17.9
31	12.1	9.3	6.2	16.4	6.9	9.6	10.2	12.2	9.7
32	5.1	4.0	2.7	9.7	3.2	3.5	4.7	6.1	4.6
33	1.6	1.6	1.0	4.4	1.2	1.4	2.0	2.5	2.2
34	0.5	0.5	0.2	1.5	0.3	0.5	0.7	0.8	1.3
35	0.1	0.1	*	0.4	*	0.1	0.2	0.2	1.1
36 & above	*	*	*	0.1	*	*	0.1	*	1.2
<b>Average strength</b>	<b>29.4</b>	<b>28.8</b>	<b>28.3</b>	<b>29.7</b>	<b>28.5</b>	<b>29.1</b>	<b>28.9</b>	<b>29.1</b>	<b>29.2</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

\* Less than 0.05 percent.



Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through March 2, 2006

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
<b>UNIFORMITY 1/</b>									
72.4 & below	-	-	*	-	-	-	-	-	-
72.5-73.4	-	-	*	-	-	-	-	-	-
73.5-74.4	-	*	*	*	-	-	-	-	*
74.5-75.4	-	*	*	*	-	*	*	-	*
75.5-76.4	-	0.1	*	*	-	*	*	*	*
76.5-77.4	0.3	0.8	*	0.1	0.3	0.2	0.3	0.5	0.1
77.5-78.4	3.2	3.3	0.7	0.6	3.5	5.1	2.6	5.5	2.3
78.5-79.4	11.4	11.2	4.5	2.5	16.0	20.3	14.7	24.0	12.9
79.5-80.4	23.4	28.1	15.6	5.9	39.6	36.9	30.6	32.5	28.0
80.5-81.4	31.1	34.7	32.2	12.4	30.1	25.0	31.5	22.5	30.3
81.5-82.4	22.5	17.6	36.4	33.8	8.8	9.9	17.8	11.9	20.3
82.5-83.4	7.0	3.8	9.8	32.9	1.5	2.3	2.4	2.9	5.6
83.5-84.4	1.0	0.4	0.9	8.3	0.1	0.2	*	0.2	0.5
84.5-85.4	*	*	*	2.7	*	*	*	*	*
85.5-86.4	-	-	*	0.8	-	*	-	-	*
86.5-87.4	-	-	-	0.1	-	-	-	-	-
87.5-88.4	-	-	-	*	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
<b>Average uniformity</b>	<b>80.8</b>	<b>80.6</b>	<b>81.3</b>	<b>82.3</b>	<b>80.3</b>	<b>80.2</b>	<b>80.5</b>	<b>80.2</b>	<b>80.7</b>
<b>TRASH 2/</b>									
0.0	-	*	*	*	-	*	-	*	*
0.1	0.6	47.8	0.3	26.2	1.1	0.7	0.4	4.8	0.9
0.2	8.9	33.6	5.0	44.0	16.4	11.6	5.5	25.4	9.1
0.3	22.7	9.2	17.1	18.4	35.1	29.5	15.0	31.3	20.9
0.4	21.8	3.5	23.0	6.6	24.3	24.9	15.2	18.9	21.6
0.5	19.1	2.1	20.9	2.7	14.0	17.0	15.5	10.4	18.1
0.6	12.5	1.3	15.4	1.2	5.8	8.9	12.7	5.1	13.3
0.7	7.2	0.9	9.2	0.5	2.2	4.2	10.9	2.4	7.9
0.8	3.5	0.5	5.0	0.2	0.7	1.8	7.5	1.0	4.3
0.9	1.9	0.4	2.6	0.1	0.3	0.9	6.0	0.4	2.3
1.0	0.8	0.2	0.8	*	0.1	0.3	4.0	0.1	0.8
1.1	0.5	0.1	0.4	*	*	0.1	2.5	0.1	0.5
1.2	0.3	0.1	0.2	*	*	0.1	1.7	*	0.2
1.3	0.1	0.1	*	*	*	*	1.1	*	*
1.4	0.1	*	*	*	*	*	0.8	*	*
1.5	*	*	*	*	*	*	0.4	*	*
1.6	*	*	*	*	-	*	0.3	*	*
1.7	*	*	*	*	-	*	0.2	*	*
1.8 & above	*	*	*	*	-	*	0.3	*	*
<b>Average trash</b>	<b>0.46</b>	<b>0.20</b>	<b>0.50</b>	<b>0.22</b>	<b>0.37</b>	<b>0.41</b>	<b>0.59</b>	<b>0.34</b>	<b>0.47</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. \* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through March 2, 2006

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
<b>UNIFORMITY 1/</b>									
72.4 & below	*	-	-	-	-	-	*	-	*
72.5-73.4	*	-	-	-	-	-	*	-	*
73.5-74.4	*	*	-	*	-	*	*	-	*
74.5-75.4	*	*	*	*	*	*	*	-	*
75.5-76.4	*	0.2	*	0.1	*	*	0.3	-	0.1
76.5-77.4	*	1.4	*	0.5	0.1	*	1.7	*	0.7
77.5-78.4	0.2	5.6	0.6	2.6	1.8	0.6	6.7	*	3.9
78.5-79.4	1.3	18.4	3.8	10.7	11.6	3.7	18.1	0.5	13.1
79.5-80.4	7.8	30.9	13.9	27.3	30.6	14.7	30.2	3.6	25.1
80.5-81.4	25.3	27.5	31.3	34.4	31.5	32.7	27.7	17.6	27.9
81.5-82.4	41.8	12.2	34.4	19.4	17.8	33.9	12.5	39.7	20.6
82.5-83.4	21.2	3.1	14.0	4.7	5.9	12.9	2.6	30.3	7.4
83.5-84.4	2.3	0.5	2.0	0.4	0.8	1.5	0.2	8.0	1.0
84.5-85.4	0.1	*	*	*	*	*	*	0.3	0.1
85.5-86.4	*	-	*	-	-	*	*	-	*
86.5-87.4	-	-	*	-	-	-	*	-	*
87.5-88.4	-	-	-	-	-	-	-	-	*
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
<b>Average uniformity</b>	<b>81.8</b>	<b>80.3</b>	<b>81.5</b>	<b>80.7</b>	<b>80.7</b>	<b>81.4</b>	<b>80.2</b>	<b>82.2</b>	<b>80.7</b>
<b>TRASH 2/</b>									
0.0	*	*	-	*	*	*	*	-	*
0.1	0.8	49.2	*	21.4	0.1	0.9	16.5	*	9.4
0.2	10.0	35.1	1.0	37.7	3.8	9.4	35.2	1.4	21.3
0.3	24.5	10.1	8.3	22.4	18.0	21.9	23.3	10.3	21.7
0.4	26.2	3.2	17.1	8.6	23.1	24.6	11.3	19.4	16.8
0.5	19.0	1.3	22.6	4.7	22.0	19.2	6.1	24.5	12.7
0.6	11.1	0.5	19.8	2.3	15.0	12.1	3.2	19.9	8.2
0.7	5.0	0.2	13.9	1.3	8.9	6.4	1.8	12.7	4.8
0.8	2.1	0.1	7.7	0.6	4.3	3.1	0.9	6.1	2.5
0.9	0.8	*	4.7	0.4	2.4	1.5	0.6	3.3	1.4
1.0	0.2	*	2.1	0.2	1.0	0.4	0.3	1.2	0.5
1.1	0.1	*	1.2	0.1	0.6	0.2	0.2	0.6	0.3
1.2	*	*	0.7	0.1	0.3	0.1	0.1	0.3	0.2
1.3	*	*	0.3	*	0.1	*	0.1	0.1	0.1
1.4	*	*	0.2	*	0.1	*	0.1	*	*
1.5	*	-	0.1	*	*	*	*	*	*
1.6	*	*	0.1	*	*	*	*	*	*
1.7	*	-	*	*	*	*	*	*	*
1.8 & above	*	*	0.1	*	*	*	*	*	*
<b>Average trash</b>	<b>0.42</b>	<b>0.18</b>	<b>0.58</b>	<b>0.26</b>	<b>0.50</b>	<b>0.45</b>	<b>0.29</b>	<b>0.55</b>	<b>0.38</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. \* Less than 0.05 percent.

Table 22. - Quality of American Pima cotton classed for producers by State and United States through March 2, 2006

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	1.7	6.5	0.8	0.3	5.8
	2	7.1	4.8	2.2	0.6	4.5
	3	-	*	*	-	*
	4	-	*	-	-	*
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		8.8	11.4	3.0	1.0	10.3
02	1	1.8	6.7	2.6	4.0	6.4
	2	72.0	54.9	66.6	83.8	57.5
	3	11.7	13.6	20.0	6.1	13.3
	4	0.3	0.7	2.3	*	0.7
	5	-	*	0.3	*	*
	6	-	*	*	-	*
	7	-	-	-	-	-
Total -----		85.9	75.9	91.8	94.0	77.8
03	1	-	*	*	0.2	*
	2	1.0	2.8	0.3	3.1	2.7
	3	2.1	5.7	1.2	1.5	5.2
	4	0.9	2.2	1.9	0.1	2.0
	5	0.3	0.3	0.8	*	0.3
	6	-	*	0.1	-	*
	7	-	-	-	-	-
Total -----		4.4	11.0	4.4	4.9	10.2
04	1	-	*	-	-	*
	2	*	0.1	*	-	0.1
	3	0.1	0.5	*	0.1	0.4
	4	0.1	0.7	0.4	*	0.6
	5	0.4	0.2	0.1	*	0.2
	6	0.1	*	*	-	*
	7	-	*	-	-	*
Total -----		0.8	1.4	0.6	0.1	1.3
05	1	-	*	-	-	*
	2	-	*	*	-	*
	3	0.1	0.1	*	-	0.1
	4	*	0.1	*	-	0.1
	5	*	*	0.1	*	*
	6	-	*	*	*	*
	7	-	*	-	-	*
Total -----		0.1	0.2	0.1	*	0.2
06	1	-	-	-	-	-
	2	-	*	-	-	*
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	*	*	-	*
	7	-	*	-	-	*
Total -----		-	0.1	*	-	0.1
07	1	-	-	-	-	-
	2	-	*	*	-	*
	3	*	*	*	-	*
	4	-	*	-	-	*
	5	-	-	-	-	-
	6	-	*	-	-	*
	7	-	*	-	-	*
Total -----		*	*	*	-	*
STAPLE						
40 & shorter		-	*	-	-	*
42		-	*	0.1	0.4	*
44		10.2	1.3	7.4	19.5	2.9
46		35.6	19.0	53.6	59.3	23.2
48 & longer		54.2	79.7	38.9	20.8	73.9
Average		47.0	47.9	46.6	46.0	47.7
UNIFORMITY						
72.4 & below		-	-	-	-	-
72.5-73.4		-	-	-	-	-
73.5-74.4		-	-	-	-	-
74.5-75.4		-	-	-	-	-
75.5-76.4		-	-	-	-	-
76.5-77.4		-	-	-	-	-
77.5-78.4		-	-	-	-	-
78.5-79.4		-	*	*	*	*
79.5-80.4		-	*	*	*	*
80.5-81.4		0.1	0.4	0.3	0.2	0.3
81.5-82.4		1.0	1.5	2.0	1.2	1.5
82.5-83.4		6.3	4.6	10.2	8.1	5.1
83.5-84.4		20.5	11.6	27.9	27.8	13.4
84.5-85.4		31.7	30.8	35.9	37.2	31.4
85.5-86.4		24.6	37.6	19.2	20.8	35.6
86.5-87.4		12.8	11.7	4.2	4.4	11.0
87.5-88.4		2.9	1.7	0.4	0.3	1.6
88.5-89.4		0.2	0.1	-	*	0.1
89.5 & above		-	*	-	-	*
Average		85.2	85.4	84.7	84.8	85.3
BALES CLASSED		6,692	536,871	20,603	42,338	606,504

\* Less than 0.05 percent.



Table 22. -- Quality of American Pima cotton classed for producers by State and United States through  
March 2, 2006

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	*	-	-	*
25 - 26	-	0.3	0.2	-	0.3
27 - 29	0.4	2.5	1.1	0.2	2.3
30 - 32	0.4	3.8	3.7	2.7	3.7
33 - 34	1.1	2.5	5.1	3.0	2.6
35 - 36	2.8	4.6	10.4	4.9	4.8
37 - 42	74.6	70.4	58.4	60.1	69.3
43 - 49	20.6	15.9	21.1	29.1	17.0
50 - 52	-	-	-	-	-
53 & above	-	-	-	-	-
<b>Average</b>	<b>41</b>	<b>40</b>	<b>39</b>	<b>41</b>	<b>40</b>
ALL MIKE					
24 & below	-	*	-	-	*
25	-	0.1	0.1	-	0.1
26	-	0.2	0.1	-	0.2
27	*	0.5	0.2	*	0.4
28	0.2	0.8	0.4	*	0.8
29	0.3	1.2	0.5	0.2	1.1
30	0.1	1.3	0.7	0.5	1.2
31	0.2	1.3	1.3	0.9	1.3
32	0.2	1.2	1.7	1.4	1.2
33	0.4	1.1	2.1	1.5	1.2
34	0.7	1.3	3.1	1.4	1.4
35	1.1	1.8	4.4	1.9	1.8
36	1.7	2.9	6.0	2.9	3.0
37	3.9	5.0	8.2	4.7	5.1
38	7.1	8.6	9.3	7.6	8.5
39	14.1	12.8	9.3	9.7	12.5
40	17.3	15.3	10.4	12.8	15.0
41	15.3	15.1	10.9	13.7	14.9
42	17.0	13.5	10.2	11.6	13.3
43	12.9	9.3	8.2	9.2	9.3
44	5.9	4.5	5.6	7.1	4.8
45	1.5	1.6	3.9	5.6	1.9
46	0.2	0.3	2.1	4.1	0.7
47	0.1	0.1	0.9	2.1	0.2
48	*	*	0.3	0.8	0.1
49	-	*	0.1	0.2	*
50	-	-	-	-	-
51	-	-	-	-	-
52	-	-	-	-	-
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
<b>Average</b>	<b>41</b>	<b>40</b>	<b>39</b>	<b>41</b>	<b>40</b>
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	*	-	-	*
29	-	*	-	-	*
30	-	*	*	-	*
31	0.1	0.1	0.5	0.1	0.1
32	0.1	0.2	1.9	0.3	0.3
33	2.0	0.5	2.8	0.7	0.6
34	2.5	1.0	3.7	1.5	1.2
35	2.8	1.9	4.9	3.3	2.1
36	4.9	2.9	7.3	7.6	3.4
37	7.8	4.0	11.1	13.7	4.9
38	12.9	6.3	15.4	17.6	7.5
39	16.2	10.7	15.9	18.6	11.5
40	18.0	16.6	14.2	15.5	16.5
41	15.0	19.6	10.0	10.2	18.5
42	10.3	16.3	6.1	5.9	15.2
43	5.0	10.6	3.5	3.0	9.7
44	1.8	5.6	1.6	1.4	5.1
45 & above	0.8	3.7	0.9	0.6	3.4
<b>Average</b>	<b>39.3</b>	<b>40.6</b>	<b>38.5</b>	<b>38.8</b>	<b>40.3</b>
EXTRANEEOUS MATTER					
Bark	2.0	0.5	1.6	0.5	0.5
Grass	0.1	0.1	0.5	0.5	0.2
Spindle Twist	0.1	0.3	0.1	*	0.3
Preparation	-	1.1	-	*	1.0

\* Less than 0.05 percent.



Year	Month	Area	Population	Production	Consumption	Balance
1950	1	100	100	100	100	0
1950	2	100	100	100	100	0
1950	3	100	100	100	100	0
1950	4	100	100	100	100	0
1950	5	100	100	100	100	0
1950	6	100	100	100	100	0
1950	7	100	100	100	100	0
1950	8	100	100	100	100	0
1950	9	100	100	100	100	0
1950	10	100	100	100	100	0
1950	11	100	100	100	100	0
1950	12	100	100	100	100	0
1951	1	100	100	100	100	0
1951	2	100	100	100	100	0
1951	3	100	100	100	100	0
1951	4	100	100	100	100	0
1951	5	100	100	100	100	0
1951	6	100	100	100	100	0
1951	7	100	100	100	100	0
1951	8	100	100	100	100	0
1951	9	100	100	100	100	0
1951	10	100	100	100	100	0
1951	11	100	100	100	100	0
1951	12	100	100	100	100	0
1952	1	100	100	100	100	0
1952	2	100	100	100	100	0
1952	3	100	100	100	100	0
1952	4	100	100	100	100	0
1952	5	100	100	100	100	0
1952	6	100	100	100	100	0
1952	7	100	100	100	100	0
1952	8	100	100	100	100	0
1952	9	100	100	100	100	0
1952	10	100	100	100	100	0
1952	11	100	100	100	100	0
1952	12	100	100	100	100	0
1953	1	100	100	100	100	0
1953	2	100	100	100	100	0
1953	3	100	100	100	100	0
1953	4	100	100	100	100	0
1953	5	100	100	100	100	0
1953	6	100	100	100	100	0
1953	7	100	100	100	100	0
1953	8	100	100	100	100	0
1953	9	100	100	100	100	0
1953	10	100	100	100	100	0
1953	11	100	100	100	100	0
1953	12	100	100	100	100	0
1954	1	100	100	100	100	0
1954	2	100	100	100	100	0
1954	3	100	100	100	100	0
1954	4	100	100	100	100	0
1954	5	100	100	100	100	0
1954	6	100	100	100	100	0
1954	7	100	100	100	100	0
1954	8	100	100	100	100	0
1954	9	100	100	100	100	0
1954	10	100	100	100	100	0
1954	11	100	100	100	100	0
1954	12	100	100	100	100	0
1955	1	100	100	100	100	0
1955	2	100	100	100	100	0
1955	3	100	100	100	100	0
1955	4	100	100	100	100	0
1955	5	100	100	100	100	0
1955	6	100	100	100	100	0
1955	7	100	100	100	100	0
1955	8	100	100	100	100	0
1955	9	100	100	100	100	0
1955	10	100	100	100	100	0
1955	11	100	100	100	100	0
1955	12	100	100	100	100	0
1956	1	100	100	100	100	0
1956	2	100	100	100	100	0
1956	3	100	100	100	100	0
1956	4	100	100	100	100	0
1956	5	100	100	100	100	0
1956	6	100	100	100	100	0
1956	7	100	100	100	100	0
1956	8	100	100	100	100	0
1956	9	100	100	100	100	0
1956	10	100	100	100	100	0
1956	11	100	100	100	100	0
1956	12	100	100	100	100	0
1957	1	100	100	100	100	0
1957	2	100	100	100	100	0
1957	3	100	100	100	100	0
1957	4	100	100	100	100	0
1957	5	100	100	100	100	0
1957	6	100	100	100	100	0
1957	7	100	100	100	100	0
1957	8	100	100	100	100	0
1957	9	100	100	100	100	0
1957	10	100	100	100	100	0
1957	11	100	100	100	100	0
1957	12	100	100	100	100	0
1958	1	100	100	100	100	0
1958	2	100	100	100	100	0
1958	3	100	100	100	100	0
1958	4	100	100	100	100	0
1958	5	100	100	100	100	0
1958	6	100	100	100	100	0
1958	7	100	100	100	100	0
1958	8	100	100	100	100	0
1958	9	100	100	100	100	0
1958	10	100	100	100	100	0
1958	11	100	100	100	100	0
1958	12	100	100	100	100	0
1959	1	100	100	100	100	0
1959	2	100	100	100	100	0
1959	3	100	100	100	100	0
1959	4	100	100	100	100	0
1959	5	100	100	100	100	0
1959	6	100	100	100	100	0
1959	7	100	100	100	100	0
1959	8	100	100	100	100	0
1959	9	100	100	100	100	0
1959	10	100	100	100	100	0
1959	11	100	100	100	100	0
1959	12	100	100	100	100	0
1960	1	100	100	100	100	0
1960	2	100	100	100	100	0
1960	3	100	100	100	100	0
1960	4	100	100	100	100	0
1960	5	100	100	100	100	0
1960	6	100	100	100	100	0
1960	7	100	100	100	100	0
1960	8	100	100	100	100	0
1960	9	100	100	100	100	0
1960	10	100	100	100	100	0
1960	11	100	100	100	100	0
1960	12	100	100	100	100	0